







# Ecosystem-based Adaptation in the Water Sector by Roland Treitler








Problems mentioned in public hearings (Sep 2014)








Problems mentioned in public hearings (Sep 2014)







Problems mentioned in public hearings (Sep 2014)




correlation between land coverage with forest and floods






Problems mentioned in public hearings (Sep 2014)







Solutions mentioned in public hearings (Sep 2014)







- Conclusion of the public hearings (Sep 2014)
  - Civil society is aware of the real problems
  - It is even able to suggest good solutions for the addressed problems
  - (Intuitive) understanding of cause-effect relations







#### Background Information on Tha Di Watershed

#### Causes for floods and droughts

- Deforestation
- Inefficient grey infrastructure
- Mismanagement of land use
- •Lack of cooperation between local stakeholders and responsible authorities
- •Lack of financial support











## "Living Weirs" in the Tha Di Watershed

#### **Approach**

- Living weirs concept derived from local knowledge
- •Bottom-up approach and participation from all stakeholders in the construction process
- •Community involvement with governmental and private institutions (such as DWR, RID, Lion Club, Self-Reliance Institute)
- •Scientific assessment and support from international and local institutions (Karlsruhe Institute of Technology and Walailak University)
- •In accordance with The King's Sufficient Economy Theory











"Living Weirs" in the Tha Di Watershed

#### **Benefits**

- Low cost weir structure based on tree roots
- •Ground water recharge leads to higher production yield

#### **Drawbacks**

- Longer construction period
- •No research on impacts so far









# Example of a simple but most effective solution

Germany Brandenburg (Source: Matthias Freude, Land Brandenburg)








#### **Natural Retention Areas**

#### Dike relocation river Elbe: 420 ha gained foreshore area

#### Technical Data Dike Relocation:

- Stream Kilometers 476,7 – 483,8
- New Dike Route 6.110 M
- Old Dike Route 7.189
- Max. Relocation 1.300 M
- Dike Crest 8,15 M + Freeboard










#### **Natural Retention Areas**

#### Dike relocation river Elbe: 420 ha gained foreshore area

- Technical Data Dike Relocation:
- Stream Kilometers 476,7 – 483,8
- New Dike Route 6.110 M
- Old Dike Route 7.189
- Max. Relocation 1.300 M
- Dike Crest 8,15 M + Freeboard









#### **Natural Retention Areas**


Dike relocation river Elbe: 420 ha gained foreshore area

Technical Data Dike Relocation:

Stream Kilometers 476,7 – 483,8

New Dike Route 6.110 M

- Old Dike Route 7.189
- Max. Relocation 1.300 M
- Dike Crest 8,15 M + Freeboard










#### **Natural Retention Areas**










#### **Natural Retention Areas**

#### Dike relocation river Elbe: 420 ha gained foreshore area

#### Technical Data Dike Relocation:

- Stream Kilometers 476,7 – 483,8
- New Dike Route 6.110 M
- Old Dike Route
- 7.189
- Max. Relocation 1.300 M
- Dike Crest 8,15 M + Freeboard










#### **Natural Retention Areas**

#### Dike relocation river Elbe: 420 ha gained foreshore area

#### Technical Data Dike Relocation:

- Stream Kilometers 476.7 – 483.8
- New Dike Route 6.110 M
- Old Dike Route
- 7.189
- Max. Relocation
- 1.300 M
- Dike Crest 8,15 M + Freeboard










#### Additional benefit: near recreation area







# Thank you for your attention